



TREATING
YOU
RIGHT

MiyoFILM CCTG (75%)

Liquid Film-former from Vegetable Origin


- 100% Natural Origin Content
- Easy to Use
- Excellent Adhesiveness
- Uniform and Homogeneous Film
- Avoids Color Transfer
- Contains a High % of Film Former for excellent Long Lasting Properties



COSMOS
APPROVED


GENERAL INFORMATION

Consumers are more focused on natural, eco-friendly or sustainable ingredients than ever. They pay more and more attention to the content of their cosmetic products. Choice of raw materials for formulators is also more and more challenging. Combining naturality and performance, Miyoshi Europe offers MiyoFILM CCTG (75%) as a unique COSMOS approved film forming agent dedicated for natural formulation.




INCI Name : Dextrin Isostearate (and) Caprylic/Capric Triglyceride


PIGMENT DISPERSION



Caprylic / Capric Triglyceride + TiO2



MiyoFILM CCTG (75%) + TiO2



Synthetic Film Former + TiO2

Test Method

Dispersion: propeller mixer 2000rpm; 5min
Spread on Leneta card with automatic spreader BYK

Conclusion

MiyoFILM CCTG (75%) helps to obtain a more uniform and homogeneous result than the synthetic film former and oil itself. MiyoFILM CCTG (75%) uses the best ratio between oil and film former and helps pigments dispersion.

DRYING TIME & COVERAGE



Film Former	Dryness Time	Final Aspect	Final Color
Apply the same amount (0.030g) on the same skin surface.			
Synthetic Film Former	55 sec	Sticky Touch	Opaque Matte Black
Caprylic / Capric Triglyceride	> 2 min : Doesn't Dry	Touched Greasy/Oily	Black Less Intense and Not Very Opaque
MiyoFILM CCTG (75%)	1 min 20	Sticky Touch	Intense Opaque Glossy Black

MiyoFILM CCTG (75%) is as efficient as synthetic film former providing a glossy & intense color.

MIYOSHI AMERICA, Inc.
110 Louisa Viens Dr., PO Box 859,
Dayville CT 06241, USA
Phone: +1 860-779-3990
www.miyoshiamerica.com

MIYOSHI KASEI, Inc.
4-3-14 Ichigaya Grassgate-5F Kudankita,
Chiyoda-ku, Tokyo, 102-0073, JAPAN
Phone: +81-(0)3-62656757
www.miyoshikasei.com

MIYOSHI EUROPE, S.A.S.
5 Rue Paul Rieupeyroux,
69800 Saint-Priest, FRANCE
Phone: +33 (0)4 81 18 59 30
www.miyoshikasei.com

MIYOSHI SUZHOU, Inc.
No.26 SUB-Industrial Zone, No.666 Jianlin Road,
Suzhou City, Jiangsu, CHINA 215151
Phone: +86-512-666-59282
www.miyoshikasei.com

MiyoFILM CCTG (75%)

Liquid Film-former from Vegetable Origin

Vivid & Care

LIP-I002

The Vivid & Care Lipstick is a lipstick with a satin gloss finish for an assertive look! Enriched with a **powerful antioxidant**, it will bring comfort and hydration to your lips.



	Trade Name	INCI Name	Supplier	%
A	Organic Castor Oil	Ricinus Communis (Castor) Seed Oil	Sophim	41.00
	MiyoNAT VLS-White A2	Titanium Dioxide(and) Hydrogenated Lecithin (and) Magnesium Chloride	Miyoshi Europe	1.00
	SunCROMA D&C Red 7 Ca. Lk	CI 15850	Sun Chemical	6.00
	SunCROMA D&C Red 6 Na. Sal	CI 15850	Sun Chemical	3.00
	Risonol 20 SP	Octyldodecanol	HAI Kokyu Alcohol/ Estenity	20.00
B	Illipe Butter Bio	Shorea Stenoptera Seed Butter	Expanscience	4.00
	Kahl Wax 2225 Phyto	Helianthus Annuus Seed Cera (and) Olea Europaea Oil Unsaponifiables (and) Rhus Verniciflua Peel Cera (and) Shorea Robusta Resin	Kahl wax / Ingrettech	5.00
	ABWax Rice pearls	Rice Bran Wax	Brasca / Nordmann	6.00
	Candelilla blanchie	Euphorbia Cerifera (Candelilla) Wax	Ceresine	6.00
	ABWax Rhus wax Pearls	Rhus Succedanea Fruit Cera	Brasca / Nordmann	3.00
	MiyoFILM CCTG (75%)	Dextrin Isostearate (and) Caprylic/Capric Triglyceride	Miyoshi Europe	4.00
C	Wakapamp	Caprylic/capric triglyceride (and) Undaria pinnatifida extract	Codif	0.20
	Steval Cosmevia RA 98	Stevia rebaudiana extract	Stevia Nature/ Lavollée	0.10
	Bioxan Sf T50	Tocopherol	BTSA / Masso	0.50
	AstaCos OL 50	Simmondsia Chinensis (Jojoba) Seed Oil (and) Haematococcus Pluvialis Extract (and) Tocopherol (and) Helianthus Annuus (Sunflower) Seed Oil	AstaCos/ Rahn	0.20

Procedure:

1. Grind Phase A with tree roll mill
2. Add Phase B to Phase A. Heat at 80-85°C
3. Homogenize
4. Add Phase C just before pouring
5. Pour at 75°C

Hot Pour Foundation

FDT-X008

This anhydrous and long-wear foundation offers a buildable coverage, a matte and silky finish and a lightweight sensation on skin.



	Trade Name	INCI Name	Supplier	%
A	Lexfeel Natural	Heptyl Undecylenate	Inolex	42,55
	MiyoFLEX EV-White	Titanium dioxide (and) Hydrogenated Olive Oil Stearyl Esters (and) Sodium Myristoyl Glutamate (and) Aluminum hydroxide	Miyoshi Europe	26,40
	MiyoFLEX EV-Yellow	Iron oxide (and) Hydrogenated Olive Oil Stearyl Esters (and) Sodium Myristoyl Glutamate (and) Aluminum hydroxide	Miyoshi Europe	2,85
	MiyoFLEX EV-Red	Iron oxide (and) Hydrogenated Olive Oil Stearyl Esters (and) Sodium Myristoyl Glutamate (and) Aluminum hydroxide	Miyoshi Europe	0,40
	MiyoFLEX EV-Black	Iron oxide (and) Hydrogenated Olive Oil Stearyl Esters (and) Sodium Myristoyl Glutamate (and) Aluminum hydroxide	Miyoshi Europe	0,30
B	Lipocire A SG	C10-18 Triglycerides	Gattefossé	4,90
	Candelilla Blanchie	Candelilla Cera	Ceresine	2,10
	MiyoFILM CCTG(75%)	Dextrin Isostearate (and) Caprylic/Capric Triglyceride	Miyoshi Europe	5,00
	Sustoleo TSB	Hydrogenated Rapeseed Oil	Inolex	3,20
	Cerauba T1	Copernicia Cerifera Cera	Ceresine	1,80
C	SERICITE S-150	Mica	Miyoshi Europe	5,00
	Silica Bead SB-300	Silica	Miyoshi Europe	5,00
D	Bioxan Sf T50	Tocopherol	BTSA / Masso	0,50

Procedure:

1. Heat Phase AB to 90°C.
2. Grind Phase AB using an Ultra-Turrax at high speed.
3. Add Phase C to Phase AB under stirring.
4. Add Phase D just before pouring into the mold.
5. Pour into container at 86-88°C.



Long Lasting



Hydrophobicity



Natural Origin

MIYOSHI AMERICA, Inc.
110 Louisa Viens Dr., PO Box 859,
Dayville CT 06241, USA
Phone: +1 860-779-3990
www.miyoshiamerica.com

MIYOSHI KASEI, Inc.
4-3-14 Ichigaya Grassgate-5F Kudankita,
Chiyoda-ku, Tokyo, 102-0073, JAPAN
Phone: +81-(0)3-62656757
www.miyoshikasei.com

MIYOSHI EUROPE, S.A.S.
5 Rue Paul Rieupeyroux,
69800 Saint-Priest, FRANCE
Phone: +33 (0)4 81 18 59 30
www.miyoshi-europe.com

MIYOSHI SUZHOU, Inc.
No.26 SUB-Industrial Zone, No.666 Jianlin Road,
Suzhou City, Jiangsu, CHINA 215151
Phone: +86-512-666-59282
www.miyoshikasei.com