



TREATING
YOU
RIGHT

MiyoSHADE T Clear

Mineral Sunscreens Solution

- Hydrophobic Surface Treatment
- Easy to disperse
- High SPF
- Good Gloss & Transparency
- Globally compliant



GENERAL INFORMATION

Sun protection is now part of a daily routine because everyone knows about the harmful effect of sun exposure. Protecting the skin is no longer an option and must be done with safe ingredients for users and the environment as well.


The MiyoSHADE T Clear of inorganic TiO₂ powder sunscreen provides some of the most effective and safest protection while offering long lasting and water resistant properties. By meeting global regulatory requirements (FDA registered), this solution guarantee success without limits.

MiyoSHADE T Clear :

Globally designed to impart high SPF and high transparency, for O/W and W/O formulations, including foundations needing broad ethnic shades.

MiyoSHADE T CLEAR	Base Material	Surface Treatment		
	Titanium Dioxide	Aluminum hydroxide	Stearic Acid	Dimethicone
	76.95%	9.975%	8.075%	5%

SUN PROTECTION



MIYOSHI AMERICA, Inc.
110 Louisa Viens Dr., PO Box 859,
Dayville CT 06241, USA
Phone: +1 860-779-3990
www.miyoshiamerica.com

MIYOSHI KASEI, Inc.
4-3-14 Ichigaya Grassgate-5F Kudankita,
Chiyoda-ku, Tokyo, 102-0073, JAPAN
Phone: +81-(0)3-62656757
www.miyoshikasei.com

MIYOSHI EUROPE, S.A.S.
5 Rue Paul Rieupeyroux,
69800 Saint-Priest, FRANCE
Phone: +33 (0)4 81 18 59 30
www.miyoshieurope.com

MIYOSHI SUZHOU, Inc.
No.26 SUB-Industrial Zone, No.666 Jianlin Road,
Suzhou City, Jiangsu, CHINA 215151
Phone: +86-512-666-59282
www.miyoshikasei.com

MiyoSHADE T Clear

Mineral Sunscreens Solution

MiyoSHADE - Liquid Foundation (Pecan)

USS0022

A long wearing, **transparent** liquid foundation, with an **SPF of 37 (in-vivo FDA)**, that appears natural and blends seamlessly on the skin.



	Trade Name	INCI Name	Supplier	%
A	Vitamin E Acetate	Tocopheral Acetate	Spectrum	0.10
	DOWSIL™ 200 Fluid 20 CS	Dimethicone	Dow Chemical	15.00
	KF-6038	Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone	Shin-Etsu	6.75
	KSG-16	Dimethicone (and) Dimethicone/ Vinyl Dimethicone Crosspolymer	Shin Etsu	3.00
	Lipo® IDD 99A	Isododecane	Vantage	7.00
	ALT-RED	Iron Oxides (and) Triethoxycaprylylsilane	Miyoshi America	1.92
	ALT-YELLOW	Iron Oxides (and) Triethoxycaprylylsilane	Miyoshi America	4.57
	ALT-BLACK	Iron Oxides (and) Triethoxycaprylylsilane	Miyoshi America	1.19
	MiyoSHADE T Clear	Titanium Dioxide (and) Aluminum Hydroxide (and) Stearic Acid (and) Dimethicone	Miyoshi America	13.00
	SA-SB-300 (7%)	Silica (and) Dimethicone	Miyoshi America	1.00
B	Water	Water	-	31.46
	Biobenefit	Artichoke [Cynara Scolymus (Artichoke) Leaf Extract, Water, BG]	Miyoshi America	1.00
	PrincessCare	Mountain Geranium [Geranium Robertianum Extract, Water, BG]Cyclopentasiloxane	Miyoshi America	1.00
	CUREPASSION	Passionflower [Passiflora Edulis Fruit Extract, Water, BG]	Miyoshi America	1.00
	Biocellact CHAMOMILLA BD	Matricaria [Chamomilla Recutita (Matricaria) Flower Extract, Water, BG]	Miyoshi America	1.00
	Actigum™ CS 11	Sclerotium gum	Cargill	0.50
	RonaCare® Potassium Hydroxide 30% Solution	Water (and) Potassium Hydroxide	EMD	0.01
	Xalifin® 15	PEG-8 C12-C20 Alkyl Ester	Vevey Europe	5.00
	Spectrastat™ G2 Natural MB	Caprylhydroxamic Acid (and) Glycerol Caprylate (and) Glycerin	INOLEX	1.00
	PHOENOXOL® L-10	Laureth-10	Phoenix Chemical	4.50

PROCEDURE:

1. Weigh phase A in a beaker and begin homogenizing at 5000 rpm.
2. In a separate beaker, weigh the water from phase B and begin heating to 65°C.
3. Once temperature is reached, add the Xalifin-15 from phase B and begin mixing with a propeller mixer (400 to 500 rpm) for 5-10 minutes, until dissolved.
4. Then add the Actigum™ CS 11 to phase B. Continue mixing for an additional 10 minutes until gum is dissolved.
5. Add the remaining ingredients from phase B and continue mixing for 5 minutes.
6. Remove Phase B from mixing and slowly add it to Phase A. Continue homogenizing. Once incorporated, continue mixing for 10 minutes.
7. Cool and package into desired packaging.

MIYOSHI AMERICA, Inc.
110 Louisa Viens Dr., PO Box 859,
Dayville CT 06241, USA
Phone: +1 860-779-3990
www.miyoshiamerica.com

MIYOSHI KASEI, Inc.
4-3-14 Ichigaya Grassgate-5F Kudankita,
Chiyoda-ku, Tokyo, 102-0073, JAPAN
Phone: +81-(0)3-62656757
www.miyoshikasei.com

MIYOSHI EUROPE, S.A.S.
5 Rue Paul Rieuepeyroux,
69800 Saint-Priest, FRANCE
Phone: +33 (0)4 81 18 59 30
www.miyoshi-europe.com

MIYOSHI SUZHOU, Inc.
No.26 SUB-Industrial Zone, No.666 Jianlin Road,
Suzhou City, Jiangsu, CHINA 215151
Phone: +86-512-666-59282
www.miyoshikasei.com